

XENO 50-mini

Introduction

Genitrix

Animal Health & Nutrition

Company name:

[Genitrix Ltd](#)

Address:

**Genitrix House
Daux Road
Billingshurst
West Sussex
RH14 9SJ**

Telephone:

01403 786345

Fax:

01403 786346

Email:

mail@genitrix.co.uk

Website:

www.genitrix.co.uk

Qualitative and quantitative composition

Ivermectin 100 µg per g

Pharmaceutical form

Liquid Spot-On for topical application.

Pharmacological properties

Xeno 50-Mini is designed as a topical spot on for use on rabbits, guinea pigs, rodents, ferrets and birds up to 800g bodyweight. The active ingredient Ivermectin is a substance known as an endectocide because it kills parasites that cause infestation inside the body (endoparasites) as well as those living outside the body, on the skin (ectoparasites). Ivermectin is used in many species for the control of mites, roundworms and lice. Xeno 50-Mini is a simple and effective spot-on solution for prevention and treatment of common internal and external parasites on small mammals and birds. Applied to the skin, Xeno 50-Mini is particularly effective against the parasites which commonly cause ear and skin problems in rabbits, ferrets, guinea pigs and small rodents. It is also effective against many of the parasites which cause skin and feather problems in birds.

Clinical particulars

Target species

Rats, mice, gerbils, chinchillas, hamsters and other small rodents. Rabbits, ferrets and guinea pigs under 800g bodyweight. Birds under 800g bodyweight.

Indications for use

Prevents and treats common internal and external parasites of rodents, rabbits, ferrets, guinea pigs and birds under 800g bodyweight.

Contra-indications

Xeno 50-Mini is only for use on rabbits, ferrets, guinea pigs, rodents and birds. Do not use on animals other than those indicated. Serious reactions including deaths have been reported in dogs (especially Collies, Old English Sheepdogs and related breeds), tortoises and turtles treated with the active substance.

Special precautions for use

If you are uncertain about the condition of your pet, consult a veterinary surgeon. If symptoms persist, consult a veterinary surgeon.

Use during pregnancy and lactation

No data available. Do not use in pregnant and lactating animals.

Interactions

None known.

Amounts to be administered and administration route

Holding the pipette firmly in one hand, twist off the cap. Apply 1 tube (50 micrograms) per 250 g bodyweight onto the skin on the back of the neck and down the spine. Each tube contains approximately 15 drops and each drop will deliver 3.3mcg Ivermectin. For routine prevention of common ectoparasites this dose should be repeated monthly. For the treatment of an existing infestation, repeat doses are required two weeks and four weeks after the initial application.

Typical dose rates for each species:

SPECIES	BODYWEIGHT grams	AMOUNT TO USE
Small rabbits, guinea pigs, ferrets, rats, hamsters, mice, gerbils, chinchillas, other rodents, birds	10 to 20	1 drop
	20 to 40	2 drops
	40 to 60	3 drops
	60 to 80	5 drops
	80 to 100	6 drops
	100 to 150	½ tube (8 drops)
	150 to 200	11 drops
	200 to 300	1 tube
	300 to 400	1½ tubes (1 tube plus 8 drops)
	400 to 600	2 tubes
	600 to 800	3 tubes

Overdose

DO NOT OVERDOSE

Special warnings for each target species

Do not overdose. Avoid use in or around the eyes. Occasional central nervous system disorders, lethargy, inappetence, local irritation and/or hypersensitivity reactions may be observed. These signs may be more common in young animals. Should such a reaction occur, discontinue use and seek veterinary advice. This product is toxic to chelonians. Do not use in tortoises, turtles or related species.

Withdrawal periods

Not applicable. For pet animals only. Do not use in animals intended for human consumption. Do not eat eggs from treated birds.

Special precautions to be taken by the person administering the product

Wash hands thoroughly with soap and water following treatment.

Pharmaceutical particulars

Major incompatibilities

None known.

Special precautions for storage

KEEP OUT OF REACH OF CHILDREN. Do not store above 25°C. Keep out of direct sunlight.

Nature and contents of container

Cartons containing 9 polypropylene tubes, each of 50mcg Ivermectin.

Special precautions for the disposal of unused medicinal product or waste materials, if any

After use, wrap empty pipettes in tissue paper and dispose with domestic refuse.

Marketing authorisation number

ManA 19886.

Any other information

This product is not effective against ringworm. Ringworm is a skin disease which can be passed on from your pet to humans. If you think your pet may have ringworm, you should consult a veterinary surgeon. If your animal's condition does not improve after application of Xeno 50-mini, you should consult a veterinary surgeon.

Legal category

SAES (This veterinary medicine is marketed in accordance with the Small Animal Exemption Scheme.)

Significant Changes